



## Standby Power 110 Kva Cummins Diesel Generator 50Hz With Deepsea Controller

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9002
- Model Number: DE-C110
- Minimum Order Quantity: 1 pc
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



### Product Specification

- Name: 110 Kva Cummins Diesel Generator
- Cooling System: Water-Cooling System
- Frequency: 50Hz
- Fuel Type: Diesel
- Noise Level: 75dB
- Rate Power: 100kVA
- Speed: 1500rpm
- Engine Model: 6BT5.9-G2
- Rate Voltage: 400/230V
- Warranty: 12 Months/1000 Hours
- Highlight: **Standby Power Cummins Diesel Generator, 110 Kva Cummins Diesel Generator, Cummins 110 Kva Generator**

for more products please visit us on [dellentpower.com](http://dellentpower.com)

# 50 Hz Cummins Diesel Generator With Deepsea Controller 110kVA Standby Power

## . PRODUCT



Generator Set Specification		
Model		DE-C110
Max. Power	kVA	110
	kW	88
Rate Power	kVA	100
	kW	80
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	A	144.3

Alternator Specification		
Alternator Manufacturer	Fuan Dellent Electric & Machinery Co., Ltd.	
Alternator Brand	DELLENT	
Rate Output	kVA	105
Frequency	Hz	50Hz
Altitude	M	≤1000
Insulation	Class H	
Phase	3 Phase	
Working Temperature without power decrease	≤40	
Working Altitude without power decrease	≤1000m	
Automatic Voltage Regulation	SX440	
Protection Grade	IP23	

Alternator for optional	Leroy Somer, Marathon, Mecc Alte and Dellent Brushless alternator for optional
-------------------------	-----------------------------------------------------------------------------------

### Engine Specification

Engine Manufacturer	Dongfeng Cummins Engine Co., Ltd.	
Engine Brand	Cummins	
Engine Model	6BT5.9-G2	
No. of Cylinder	6 Cylinder in line	
Aspiration	Turbocharged	
Governor	Electric	
Engine Max. Output Power	kW	94.6
Displacement	L	5.9
Compression Ratio	17.3 : 1	
Starting Voltage	V	24
Bore	mm	102
Stroke	mm	120
Lubrication Oil Capacity	L	16.4
Intake Air Flow	M3/Min	5.8
Fuel Consumption at 100% Load	L/H	22.3

### Control Panel Specification

Controller Brand	Deepsea	
Controller Model	DSE6120	
Breaker Brand	Delixi	
Breaker Capacity (A)	160	
Battery Charger	Smartgen Model BAC06A	
Emergency Stop Button	Supply	
Automatic Mains Fail (AMF)	Supply	
Fuel Level	Supply	
Automatic Transfer Switch	ATS as optional part	

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.

### . Why Choose Us:

# Dedicated

We are DEDICATED to meet Customers' need.

# Enthusiasm

We respond to our Customers' ENTHUSIASM

# Loyalty

We cherish our Customers' LOYALTY

# Luxury

We aim to establish our own LUXURY brand

# Efficient

We offer our EFFICIENT service

# Newest

We adopt NEWEST technologies for products

# Trust

We strive for winning the TRUST from Customers

## . QUALIFICATION CERTIFICATE:



## . FACTORY INTERIOR:



**Fuan Dellent Electric & Machinery Co., Ltd.**

+8613706938606    jennifer@dellent.com    dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY,NINGDECIY,FUJIAN.CHINA

