



800kW / 1000kva Cummins Diesel Generator 50Hz KTA38-G5 Engine

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-CC1100
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Engine Brand: Cummins
- Name: 1000kva Cummins Diesel Generator
- Engine Model: KTA38-G5
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Prime Power: 1000kVA/800kW
- Standby Power: 1100kVA /880kW
- Rated Frequency: 50HZ
- Speed: 1500RPM
- Warranty: 12 Months/1000 Hours
- Genset Type: Open Type
- Highlight: **1000kva Cummins Diesel Generator,
1000kva Cummins Generator,
Cummins 1000 Kva Diesel Generator**

for more products please visit us on dellentpower.com

800kW/1000kVA 50Hz Cummins Generator Set

Cummins Power Generator With KTA38-G5 Engine

. PRODUCT

Cummins Engine Generator:

Model		DE-CC1100
Max. Power	kVA	1100
	kW	880
Rate Power	kVA	1000
	kW	800
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	A	1443.4
Fuel Tank Capacity	L	900
Dimension For Open-type Genset	mm	4243 X 1820 X 2500
Weight For Open-type Genset	kg	8120
Dimension For Soundproof Genset	mm	6058 X 2438 X 2591
Weight For Soundproof Generator	kg	10270
Noise Level for Soundproof Generator	dBA	80dBA

Cummins Diesel Engine:

Engine Manufacturer		Chongqing Cummins Engine Co., Ltd.
Engine Brand		Cummins
Engine Model		KTA38-G5
No. of Cylinder		12 Cylinder V Type
Aspiration		Turbocharged & Aftercooled
Governor		Electric
Engine Max. Output Power	kW	970
Displacement	L	37.8
Compression Ratio		13.9 : 1
Starting Voltage	V	24
Bore	mm	159
Stroke	mm	159
Lubrication Oil Capacity	L	135
Intake Air Flow	M ³ /Min	72.8
Fuel Consumption at 100% Load	L/H	209

The Control Panel :

Alternator Brand		Stamford
Rate Output	kVA	1000
Frequency	Hz	50Hz
Altitude	M	≤1000
Insulation		Class H
Phase		3 Phase
Working Temperature without power decrease		≤40
Working Altitude without power decrease		≤1000m
Automatic Voltage Regulation		MX321
Protection Grade		IP23
Alternator for optional	Leroy Somer, Marathon, Mecc Alte and DELLENT Brushless alternator for optional	



. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



Fuan Dellent Electric & Machinery Co., Ltd.

+8613706938606

jennifer@dellent.com

dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDECITY,FUJIAN.CHINA