

CHINA

CE/ISO9001

DE-YD11

face to face

DELLENT-YANGDONG

500 PCS PER MONTH

YD480D YANGDONG Diesel Generator 50HZ / 60HZ Low Noise Engine

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1*20GP
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



DELLEI

Product Specification

• Name:

• Frequency:

• Engine Brand: • No. Of Cylinder:

• Rated Speed:

• Engine Model:

Yangdong Diesel Generator YD480D 50HZ/60HZ YANGDONG 4 Cylinder In Line 1500rpm/1800rpm 400V/230V

- 12 Months
- Smartgen
- Controller: • Highlight:

• Voltage: • Warranty:

- - YD480D YANGDONG Diesel Generator, YANGDONG Diesel Generator 50HZ,

Yangdong Genset

Low Noise Engine model of YD480D for YANGDONG **Diesel Generator** . PRODUCT DESCRIPTION

Product Introduce: Yangdong diesel generator is China engine. We have all series from 8kva to 71kva.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations. For example: Healthcare,Data Centers,Telecommunications,Construction,Manufacturing,Oil and Gas,Military,Residential electricity.

Advantage of our Yangdong diesel generator :

Yangdong diesel generator have a sturdy housing Longer lifespan Lower maintenance costs Lower noise level Faster delivery time Better team service Higher level technical support.



	GenSet Model	DE-YD11	Туре	Silent(optional open)
	Frequency (Hz)	50/60	Speed rpm	1500/1800
	Phase	3	SRated voltage	230v/380v/400v/415 V
	Prime output (m)	8kW/10kVA(1500rp m)	Standby output	9kW/11kVA(1500rp m)
Details		13kW/16kva(1800rp m)		14kW/18kva(1800rp m)
	Cylinder	4	Cooling system	Water
	Min specific fuel consumption at full load(g/kW.h)	≤250.5	Overall dimensions L*W*H(mm)	687*494*610
	Fuel Con.(L/H)	5.8	Fuel capacity tank	75L
	Running time (H)	8	Sound decibel	70DB-75DB
Details Engine	Brand	Yangdong		-
	Model	YD480D	Fuel	Diesel
	Cylinder	4	Cooling system	Water-cooling
	Cylider arrangemant	IN-LINE	Bore and Stroke(mm)	80×90
	Cyle	4 Staoke	Compression ratio	18.0:1

	Governor	Mechanical	Displacement(L)	1.809/2.156		
Details Alternator	Brand	Stamford, Leroy Son				
	Model	PI 044D/TAL-A40-C/		1VS4C		
	No.of bearings		Insulation class	Η		
	Wires	12	Ingress protection	IP23		
	Excitation system	Shunt	Volrage	±1%		
Pptional single pha	lse					
elivery date						
Sustom	30 working days af	ter payment				
or more details ple	ease contact us					
		. Why Cl	hoose Us:			
	ledica	ted				
		neet Customers' need	4			
Ve						
	nthus	iasm				
We	e respond to our Cus	tomers' ENTHUSIASM				
		_				
	OVAIT					
We	e cherish our Custom	ers' LOYALTY				
	IIXIIFV					
We	e aim to establish ou	r own LUXURY brand				
	TTICIEI	11				
We	e offer our EFFICIENT	service				
		=				
	ewes	1				
We	adopt NEWEST tech	nologies for products	5			
-			1			
	figt					
We	e strive for winning th	e TRUST from Custome	ers			
	surve for writing th	e most nom custom.		TION CENTIFICAT		
		🧿 📖 🖉 📧	THE GAR	A		
		Certificate of OEM 地址 加加加 Data	▲ 授权书	Characteristics		
		Participante Participante Decisiva de Macchinery Ca., De Conserve Martin Esteven annues forma USA, alcano faire d'una des Conserve Martin de Conserve Server Decisiva de Conserve des Conserve Martin de Conserve de Conser		Particular and a second		
	and and an an		and first			
		Problemine a service a set		CARDING CONTRACTOR		
Contract of the local division of the local	CERTIFICATE					
	12 IR 15			FICATE		
Figures 6	WEB YEAM'A PORCE CO, CTO INSIGO ANYON'S THE BE AND AND BE YEAR DELET FELOCING & MACHINERY CO.LTE.			AN CHARGE AND		
	HE REPORT OF THE DESIGN OF THE	AF I CONTRACTOR CONTRA	manufacture and	Ale Maria V Service Reserved Reser		
	AND DESCRIPTION OF THE OWNER OWNE			Automatication		
		672-		Martin Constant and State Stat		
	. FACTORY INTERIOR:					

