YANGDONG 50KW Diesel Generator Water Cooled Generator Set 50HZ / 60HZ

Basic Information

Place of Origin: CHINA
 Brand Name: DELLENT
 Certification: CE/ISO9001
 Model Number: DE-YD9.5~YD83

• Minimum Order Quantity: 1 PC

• Price: bargain face-to-face

Packaging Details:
 PLASTIC WRAP OR PLYWOOD CASE

Delivery Time: 20-30 DAYSPayment Terms: L/C, T/T

• Supply Ability: 1 MONTH 600PCS



Product Specification

• Name: 50KW Diesel Generator

• Engine Brand: YANGDONG

Cooling Method: Water-Cooling System

Fuel Type: DieselRated Frequency: 50HZ/60HZ

Speed: 1500RPM/1800RPMWarranty: 12 Months/1000 Hours

• Highlight: YANGDONG 50KW Diesel Generator,

50kw Generator Set,

Water Cooled Generator Set

CE YANGDONG Diesel Generator about 50kW.

. PRODUCT

	Gen	TECHNICAL DATA Inset Performance:					WATER-COOLED Series Diesel Generator Sets Engine Portumance: Dimension(L-W-H)						
	Genset Model	Prime						Prime power	Fuel Cons. (100% Load)	Cylinder Bore×Stroke	Displace -ment	Open Type	Silent Type
	DE-YD9.5	6.8	8.5	7.6	9.5	YD380D	1500	10	2.6	3L-80×90	1.357	126*80*110	170×84×110
50Hz	DE-YD11	8	10	9	11	YD385D	1500	11	3	3L-85×90	1.532	126×80×110	170×84×110
	DE-YD11	В	10	9	11	YD460D	1500	14	4.1	4L-80×90	1.809	130×80×110	200×84×116
	DE-YD14	10	13	11	14	TD4KD	1500	15	4.35	4L-85×90	2.043	130×80×110	200×84×116
	DE-YD18	13	16	14	18	YSD490D	1500	21	6.1	4L-90×100	2.54	133×80×113	200×89×128
	DE-YD22	16	20	18	22	Y4950	1500	27	7.1	4L-95×105	2.997	153×78×115	220×89×128
	DE-YD28	20	25	22	28	Y4100D	1500	31.5	8.4	4L-100×118	3.707	159×78×115	220×89×128
	DE-YD30	22	28	24	30	Y4102ZD	1500	40	10.2	4L-102×118	3.875	167×78×115	220×89×128
	DE-YD32	24	30	26	32	Y4102ZD	1500	40	10.B	4L-102×118	3.875	167×78×115	220×89×128
	DE-YD40	30	38	32	40	Y4102ZLD	1500	48	11.9	4L-102×118	3.875	178×85×121	230×95×130
	DE-YD48	34	43	38	48	Y4102ZLD	1500	48	13.2	4L-102×118	3.875	178×85×121	230×95×130
	DE-YD55	40	50	44	55	Y4105ZLD	1500	55	14.3	4L-105×118	4.1	195×90×132	258×102×138
	DE-YD66	48	60	53	66	YD4EZLD	1500	63	16.1	4L-105×118	4.1	195×90×132	258×102×138
	DE-YD83	60	75	66	83	Y4110ZLD	1500	80				199×100×135	270×102×152
2H09	DE-YD11	8	10	8.8	11	YD388D	1800	12	3.05	3L-80×90	1.357	126×80×110	170×84×110
	DE-YD14	10	12.5	11	14	YD380D	1800	13	3.6	3L-85×90	1:532	126×80×110	170×84×110
	DE-YD14	10	12.5	11	14	YD385D	1800	17	4.4	4L-80×90	1.809	130×80×110	200×84×116
	DE-YD18	13	16	14	18	YD480D	1800	20	5.8	4L-85×95	2.156	130×80×110	200×84×116
	DE-YD22	16	20	18	22	YND485D	1800	25	7.2	4L-90×100	2,54	133×80×113	200×89×128
	DE-YD28	20	25	22	28	YSD490D	1800	30	8.4	4L-95×105	2.997	153×78×115	220×89×128
	DE-YD30	22	28	24	30	Y4950	1800	39.6	10	4L-102×118	3.875	159×78×115	220×89×128
	DE-YD33	24	30	26	33	Y4100D	1800	39.6	11	4L-102×118	3.875	167×78×115	220×89×128
	DE-YD40	30	37.5	32	40	Y4102D	1800	48	11.7	4L-102×118	3.875	167×78×115	220×89×128
	DE-YD48	36	44	38	48	Y4102ZD	1800	48	13	4L-102*118	3.875	178×85×121	230×95×130
	DE-YD52	40	48	42	52	Y4102ZLD	1800	53	14	4L-102*118	3.875	178×85×121	230*95*130
	DE-YD63	45	56	50	63	Y4105ZLD	1800	60	15.5	4L-105×118	4.1	195×90×132	258×102×138
	DE-YD73	53	63	58	73	YD4EZLD	1800	68	17.5	4L-105*118	4.1	195×90×132	258×102×138
	DE-YD91	66	83	73	91	Y4110ZLD	1800	85				199×100×135	270×102×152

. Why Choose Us:



We are DEDICATED to meet Customers' need

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



















. FACTORY INTERIOR:













Maintenance methods of diesel generators:

- 1: Change the engine oil and oil filter regularly;
- 2: Replace the air filter element regularly;
- 3: Check and replace the fuel filter element regularly;
- 4: Check and replace spark plugs regularly;
- 5: Regularly check and replace the generator battery;
- 6: Regularly inspect and replace the diesel engine belt;
- 7: Regularly inspect and replace the water pump of the diesel engine;

- 8: Regularly inspect and replace the radiator of the diesel engine;
- 9: Regularly check and replace the fuel injector of the diesel engine;10: Regularly inspect and replace the cylinder gasket of the diesel engine.

